




Customer: Wild Orchard
Product identity: Live Resin Knockout - Hippie Crasher
Client/Metric ID: 86 Lackawanna Ave. Woodland Park, NJ 07424
Laboratory ID: 22-011064-0001

Summary

Potency:

Analyte	Result (%)		
HHC (9R-Hexahydrocannabinol)	77.2	 <ul style="list-style-type: none"> ● HHC (9R-Hexahydrocannabinol) ● HHC (9S-Hexahydrocannabinol) ● CBD-A ● CBD ● Δ8-THC ● CBT ● CBN ● CBE ● CBG 	CBD-Total 5.28%
HHC (9S-Hexahydrocannabinol)	6.51		THC-Total <LOQ
CBD-A	3.31		(Reported in percent of total sample)
CBD	2.38		
Δ8-THC	0.520		
CBT	0.503		
CBN	0.280		
CBE	0.166		
CBG	0.135		





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22

Customer: Wild Orchard
Product identity: Live Resin Knockout
Client/Metric ID: 86 Lackawanna Ave. Woodland Park, NJ 07424
Sample Date:
Laboratory ID: 22-011064-0001
Evidence of Cooling: No
Temp: 25.1 °C
Relinquished by: Client

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^p		Units %	Batch: 2207975	Analyze: 9/21/22 6:38:00 PM
Analyte	As Received	Dry weight	LOQ	Notes	
CBC	< LOQ		0.0702		
CBC-A	< LOQ		0.0702		
CBC-Total	< LOQ		0.132		
CBD	2.38		0.0702		
CBD-A	3.31		0.0702		
CBD-Total	5.28		0.132		
CBDV	< LOQ		0.0702		
CBDV-A	< LOQ		0.0702		
CBDV-Total	< LOQ		0.131		
CBE	0.166		0.0702		
CBG	0.135		0.0702		
CBG-A	< LOQ		0.0702		
CBG-Total	0.135		0.131		
CBL	< LOQ		0.0702		
CBL-A	< LOQ		0.0702		
CBL-Total	< LOQ		0.132		
CBN	0.280		0.0702		
CBT	0.503		0.0702		
Δ10-THC	< LOQ		0.0702		
Δ8-THC	0.520		0.0702		
Δ8-THCV	< LOQ		0.0702		
Δ9-THC	< LOQ		0.0702		
exo-THC	< LOQ		0.0702		
HHC (9R-Hexahydrocannabinol)	77.2		0.734		
HHC (9S-Hexahydrocannabinol)	6.51		0.734		
THC-A	< LOQ		0.0702		
THC-O-Acetate, delta-8	< LOQ		0.0734		
THC-O-Acetate, delta-9	< LOQ		0.0734		
THC-Total	< LOQ		0.132		
THCV	< LOQ		0.0702		
THCV-A	< LOQ		0.0702		
THCV-Total	< LOQ		0.131		
Total Cannabinoids	7.29				



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

↳ = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2207866

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.106	0.100	%	106	80.0	- 120	Acceptable	
CBDV	2	0.113	0.100	%	113	80.0	- 120	Acceptable	
CBE	2	0.108	0.100	%	108	80.0	- 120	Acceptable	
CBD	1	0.0987	0.100	%	98.7	90.0	- 110	Acceptable	
CBGA	1	0.0972	0.099	%	98.2	80.0	- 120	Acceptable	
CBG	1	0.107	0.108	%	98.7	80.0	- 120	Acceptable	
CBD	1	0.105	0.108	%	97.4	90.0	- 110	Acceptable	
THCV	2	0.109	0.100	%	109	80.0	- 120	Acceptable	
δ8THCV	2	0.106	0.100	%	106	80.0	- 120	Acceptable	
THCVA	2	0.107	0.100	%	107	80.0	- 120	Acceptable	
CBN	1	0.106	0.108	%	98.1	90.0	- 110	Acceptable	
exo-THC	2	0.101	0.100	%	101	80.0	- 120	Acceptable	
δ9THC	1	0.116	0.116	%	100	90.0	- 110	Acceptable	
δ8THC	1	0.101	0.100	%	101	80.0	- 120	Acceptable	
CBL	2	0.103	0.100	%	103	80.0	- 120	Acceptable	
Δ10THC	1	0.0876	0.100	%	87.6	80.0	- 120	Acceptable	
CBC	2	0.104	0.100	%	104	80.0	- 120	Acceptable	
THCA	1	0.0910	0.096	%	95.3	90.0	- 110	Acceptable	
CBCA	2	0.106	0.100	%	106	80.0	- 120	Acceptable	
CBLA	2	0.108	0.100	%	108	80.0	- 120	Acceptable	
CBT	2	0.112	0.100	%	112	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.077	%	< 0.077	Acceptable	
CBDV	<LOQ	0.077	%	< 0.077	Acceptable	
CBE	<LOQ	0.077	%	< 0.077	Acceptable	
CBD	<LOQ	0.077	%	< 0.077	Acceptable	
CBDA	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBG	<LOQ	0.077	%	< 0.077	Acceptable	
CBD	<LOQ	0.077	%	< 0.077	Acceptable	
THCV	<LOQ	0.077	%	< 0.077	Acceptable	
δ8THCV	<LOQ	0.077	%	< 0.077	Acceptable	
THCVA	<LOQ	0.077	%	< 0.077	Acceptable	
CBN	<LOQ	0.077	%	< 0.077	Acceptable	
exo-THC	<LOQ	0.077	%	< 0.077	Acceptable	
δ9THC	<LOQ	0.077	%	< 0.077	Acceptable	
δ8THC	<LOQ	0.077	%	< 0.077	Acceptable	
CBL	<LOQ	0.077	%	< 0.077	Acceptable	
Δ10THC	<LOQ	0.077	%	< 0.077	Acceptable	
CBC	<LOQ	0.077	%	< 0.077	Acceptable	
THCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBLA	<LOQ	0.077	%	< 0.077	Acceptable	
CBT	<LOQ	0.077	%	< 0.077	Acceptable	

Abbreviations
 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:
 % - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2207866						
Sample Duplicate		Sample ID: 22-011000-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	9.53	9.48	0.077	%	0.523	< 20	Acceptable	
CBD	12.3	12.3	0.077	%	0.286	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
δ8THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	2.77	2.76	0.077	%	0.370	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
Δ9THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
Δ8THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
Δ10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	

Abbreviations

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation

Units of Measure:



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC2015 V98-6 Batch ID: 2207975

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBVA	2	0.109	0.100	%	109	80.0 - 120	Acceptable	
CBV	2	0.114	0.100	%	114	80.0 - 120	Acceptable	
CBE	2	0.111	0.100	%	111	80.0 - 120	Acceptable	
CBDA	1	0.100	0.100	%	100	90.0 - 110	Acceptable	
CBSA	1	0.100	0.099	%	101	80.0 - 120	Acceptable	
CBG	1	0.110	0.108	%	102	80.0 - 120	Acceptable	
CB	1	0.112	0.108	%	104	90.0 - 110	Acceptable	
THCV	2	0.113	0.100	%	113	80.0 - 120	Acceptable	
δ8THCV	2	0.112	0.100	%	112	80.0 - 120	Acceptable	
THCVA	2	0.106	0.100	%	106	80.0 - 120	Acceptable	
CBN	1	0.113	0.108	%	104	90.0 - 110	Acceptable	
exo-THC	2	0.106	0.100	%	106	80.0 - 120	Acceptable	
δ9THC	1	0.125	0.116	%	108	90.0 - 110	Acceptable	
δ8THC	1	0.105	0.100	%	105	80.0 - 120	Acceptable	
CB	2	0.114	0.100	%	114	80.0 - 120	Acceptable	
9SHHC	3	0.0973	0.100	%	97.3	80.0 - 120	Acceptable	
Δ10THC	1	0.0940	0.100	%	94.0	80.0 - 120	Acceptable	
CB	2	0.107	0.100	%	107	80.0 - 120	Acceptable	
9RTHC	3	0.0906	0.100	%	90.6	80.0 - 120	Acceptable	
THCA	1	0.0956	0.096	%	100	90.0 - 110	Acceptable	
CBCA	2	0.109	0.100	%	109	80.0 - 120	Acceptable	
CBLA	2	0.111	0.100	%	111	80.0 - 120	Acceptable	
δ8THCO	3	0.104	0.100	%	104	80.0 - 120	Acceptable	
CB	2	0.103	0.100	%	103	80.0 - 120	Acceptable	
δ9THCO	3	0.108	0.100	%	108	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBVA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBV	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBE	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBDA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBSA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBG	<LOQ	0.0077	%	< 0.0077	Acceptable	
CB	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCV	<LOQ	0.0077	%	< 0.0077	Acceptable	
δ8THCV	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCVA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBN	<LOQ	0.0077	%	< 0.0077	Acceptable	
exo-THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
δ9THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
δ8THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
CB	<LOQ	0.0077	%	< 0.0077	Acceptable	
9SHHC	<LOQ	0.0077	%	< 0.0077	Acceptable	
Δ10THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
CB	<LOQ	0.0077	%	< 0.0077	Acceptable	
9RTHC	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBCA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBLA	<LOQ	0.0077	%	< 0.0077	Acceptable	
δ8THCO	<LOQ	0.0077	%	< 0.0077	Acceptable	
CB	<LOQ	0.0077	%	< 0.0077	Acceptable	
δ9THCO	<LOQ	0.0077	%	< 0.0077	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC2015 V98-6		Batch ID: 2207975						
Sample Duplicate		Sample ID: 22-011064-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBF	0.135	0.134	0.077	%	0.747	< 20	Acceptable	
CBDA	3.16	3.25	0.077	%	2.71	< 20	Acceptable	
CBGA	0.0710	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	0.109	0.118	0.077	%	7.75	< 20	Acceptable	
CB	2.25	2.35	0.077	%	4.26	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
δ8THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	0.259	0.265	0.077	%	2.43	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
δ9THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
δ8THC	0.452	0.463	0.077	%	2.52	< 20	Acceptable	
CB	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9SHTC	5.42	4.35	0.077	%	4.56	< 20	Acceptable	
d10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9RHTC	78.6	80.2	0.077	%	2.80	< 20	Acceptable	
THCA	0.256	0.267	0.077	%	4.24	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
δ8THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CB	0.480	0.505	0.077	%	4.99	< 20	Acceptable	
δ9THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 22-011064/D002.R000
Report Date: 09/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 09/15/22 13:22

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.